

# EAGLE



## EAGLE MANUFACTURING COMPANY

### PRODUCTS CATALOG



SAFETY CABINETS | GUARDS & PROTECTORS

SAFETY CANS | POLY DRUMS

SPILL CONTAINMENT | CIGARETTE DISPOSAL



# COMPLIANCE SOLUTIONS

[www.eagle-mfg.com](http://www.eagle-mfg.com)



Welcome to our 2012 Eagle Compliance Solutions Catalog. This year marks Eagle's 118th Anniversary of providing the highest quality, best value products, services and industry solutions to our customers.

Chartered in 1894, Eagle was founded by three brothers-James, Harry and Samuel Paull, and their brother-in-law, W.C. Jacob, with 3 basic principals-Integrity, Innovation and Customer Service. Eagle is owned by the same family and continues to operate under these same timeless principals. Eagle's rich history of world leading products has included gas and oil lamps, gas street lights, decorative glass bottles, opal discs and metal lids for Mason jars, metal fuel supply cans and lubricating oilers (used on everything from early automobiles and railroads, to the Tin Man in the Wizard of OZ).

Today, the Eagle brand has grown to include over 700 industrial safety and hazardous materials handling products, including safety containers, safety cabinets, spill containment products, poly drums, traffic safety products and a full line of guarding, protection and material handling products. At a time when many of our competitors have moved manufacturing and jobs to China and Mexico, our dedicated and talented US employees continue to design, manufacture and sell only Eagle products, made in the USA, with US made steel and poly resins. With an Eagle product purchase, you are assured of the best quality, craftsmanship and value in the marketplace, supported by exceptional customer service, as reliable and innovative as our products.

As you review our catalog, you will notice many new product offerings. These are part of our commitment to product and process innovation and to continually offer new products with the latest technology and functional advantages.

To all our customers, we appreciate your continued loyalty, support and trust.

*Joe C. Eddy*  
Joseph C. Eddy  
President/CEO



*"Our Mission is to Excel in Manufacturing and Marketing and to be the Supplier of Choice to our Customers"*

# PRODUCT INDEX

Look for These **NEW!** or **IMPROVED!** Products in This Catalog

## SAFETY CABINETS

- 5 Standard Cabinet Features
- 6 Flammable Storage Cabinets
- 7 Flammable Storage Cabinets
- 8 Tower™ Cabinets
- 9 Paint and Ink Cabinets
- 10 Metal Acid & Corrosive Cabinets
- 11 Poly Acid & Corrosive Cabinets
- 12 Drum Storage & Haz-Mat Cabinets
- 13 Pesticide Cabinets
- 14 Office Cabinets & Cabinet Accessories
- 15 Cabinet Accessories
- 16 Combo Cabinets

## SPILL CONTAINMENT

- 17 Spill Containment Features
- 18 Budget Basin Platforms
- 19 Modular Spill Platforms
- 20 Spill Pallets
- 21 Spill Platforms
- 22 IBC Containment Units
- 23 Outdoor Drum Storage & Workstations
- 24 Drum Stackers, Single Drum Containment Unit & Utility Tray
- 25 Drum Bogie, Platform & Drum Accessories

## POLY DRUMS

- 26 14 to 20 Gallon Drums
- 27 30 Gallon Drums
- 28 55 Gallon Drums
- 29 65 to 95 Gallon Drums

## GUARDS AND PROTECTORS


- 30 Bollard Posts, Machine Guards, Wall and Corner Protectors
- 31 Column Protectors
- 32 Bollard Post Sleeves
- 33 Bollard Post Sleeves & Combos
- 34 Parking Stops, Speed Bump, Poly Guide-Post Delineators™ & Poly Bollards
- 35 Clearance Bars, Decorative Post Sleeves & Collapsible Barricades
- 36 Poly Dockplates - Fixed & Portable
- 37 Poly Curb Ramp & Shipping Container Ramp

## SAFETY CANS

- 38 Cantastic - Standard Safety Can Features
- 39 Type I Galvanized Safety Cans - Flammables & Diesel
- 40 Type I Galvanized Safety Cans - Kerosine & Combustibles
- 41 Type I Poly, Stainless & Type II Galvanized
- 42 Lab & Faucet Cans & DOT Cans
- 43 Disposal Cans - Poly, Galvanized & Stainless
- 44 Plunger, Bench, Daub Cans & Specialty Use Cans
- 45 Poly Waste Cans

## CIGARETTE DISPOSAL

- 46 Standard Cigarette Receptacle Features & Decorative SafeSmoker™
- 47 Butt Cans & SafeSmoker™



# SAFETY CABINETS

## FLAMMABLE LIQUID SAFETY CABINETS



<b>Capacity (Gal.)</b>	<b>2gal.</b>	<b>4gal.</b>	<b>12gal.</b>	<b>15gal.</b>	<b>16gal.</b>	<b>22gal.</b>	<b>24gal.</b>	<b>24gal.</b>	
<b>Common Name</b>	<b>Bench Top</b>	<b>Bench Top</b>	<b>Space Saver</b>	<b>ADD-ON</b>	<b>Space Saver</b>	<b>Under Counter</b>	<b>Wall-Mount</b>	<b>Space Saver</b>	
<b>Model Numbers</b>									
<b>Door Styles</b>	Self Close: Manual Close: Sliding Self Close:	<b>1900</b> <b>1901</b> -	<b>1903</b> <b>1904</b> -	<b>1924</b> <b>1925</b> -	<b>ADD 14</b> <b>ADD 15</b> -	<b>1905</b> <b>1906</b> -	<b>1970</b> <b>1971</b> -	<b>1975</b> <b>1976</b> -	<b>2310</b> <b>1923</b> -
<b>Outside Dimensions</b>	Width: Depth: Height:	17½" W 18" D 17¼" H	17½" W 18" D 22½" H	23" W 18" D 35" H	43" W 18" D 22¼" H	23" W 18" D 44" H	35" W 22" D 35" H	43" W 12" D 44" H	23" W 18" D 65" H
<b>Inside Dimensions</b>	Width: Depth: Height:	14½" W 15" D 14¼" H	14½" W 15" D 19½" H	20" W 15" D 32" H	40" W 15" D 19¼" H	20" W 15" D 41" H	32" W 19" D 32" H	40" W 9" D 41" H	20" W 15" D 62" H
<b>No. of Shelves</b>	Extra Shelf Model No.	1 1902	1 1902	1 1919	Optional 1915	1 1919	1 1972	3 1977	3 1919
<b>Shelf Depth</b>		14¾"	14¾"	14¾"	14¾"	14¾"	18¾"	8¾"	14¾"
<b>Maximum Weight</b>		66 lbs.	74 lbs.	126 lbs.	152 lbs.	152 lbs.	191 lbs.	224 lbs.	208 lbs.
<b>Compliance</b>		OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30
<b>Approvals</b>		-	-	-	-	-	-	-	-

**All Cabinets Include Standard Features & Benefits Shown On Page 5**



- 2 – 24 gal cabinets are ideal for storage of smaller containers of flammable liquids
- Larger cabinets are suitable for storage of up to 5-gal sized containers of flammable liquids
- All cabinets feature adjustable shelves to accommodate various sized containers

**All steel cabinets meet NFPA Code 30 and OSHA specifications. Self-closing models meet Uniform Fire Code and NFPA Code One requirements.**

# SAFETY CABINETS

## TOWER™ SAFETY CABINETS (Yellow Only)

## PAINT/INK T



Capacity (Gal.)	12gal.	16gal.	30gal.	45gal.	60gal.	90gal.	40gal.
Common Name	Space Saver	Space Saver	Tower 30	Tower 45	Tower 60	Tower 90	Tower 40
Model No.	1924LEGS	1905LEGS	3010LEGS	4510LEGS	6010LEGS	9010LEGS	Cabinets are
Door Styles	Self Close: 1925LEGS Manual Close: - Sliding Self Close: -	1906LEGS	1932LEGS	1947LEGS	1962LEGS	1992LEGS	PI-32LEGS**
Outside Dimensions	Width: 23" W Depth: 18" D Height: 39" H	23" W 18" D 48" H	43" W 18" D 48" H	43" W 18" D 69" H	31 1/4" W 31 1/4" D 69" H	43" W 34" D 69" H	43" W 18" D 48" H
Inside Dimensions	Width: 20" W Depth: 15" D Height: 32" H	20" W 15" D 41" H	40" W 15" D 41" H	40" W 15" D 62" H	28 1/4" W 28 1/4" D 62" H	40" W 31" D 62" H	40" W 15" D 41" H
No. of Shelves	1	1	1	2	2	2	3
Extra Shelf Model No.	1919	1919	1915	1915	1911	1915(2)	1915
Shelf Depth	14 3/4"	14 3/4"	14 3/4"	14 3/4"	28"	30"	14 3/4"
Maximum Weight	148 lbs.	174 lbs.	254 lbs.	335 lbs.	354 lbs.	467 lbs.	265 lbs.
Compliance	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30
Approvals	-	-					

\*\*PI-32LEGS is Manual Close

### All Cabinets Include Standard Features & Benefits Shown On Page 5

All steel cabinets meet NFPA Code 30 and OSHA specifications. Self-closing models meet Uniform Fire Code and NFPA Code One requirements.

#### Tower cabinets include 4" adjustable legs for the added benefits of:

- Placing cabinets over floor or wall ventilation
- Providing easy cleaning under cabinet
- Protecting the cabinet in areas where floor moisture is a concern
- Moving with a fork lift or pallet jack



# SAFETY CABINETS

## ACID & CORROSIVE SAFETY CABINETS



<b>Capacity (Gal.)</b>	4gal.	12gal.	15gal.	16gal.	22gal.	24gal.	30gal.
<b>Common Name</b>	Bench Top	Space Saver	ADD-ON	Space Saver	Under Counter	Space Saver	Standard 30
<b>Model Numbers</b>							
<b>Door Styles</b>	Self Close: CRA-1903 Manual Close: CRA-1904 Sliding Self Close: -	CRA-1924 CRA-1925	ADD-CRA14 ADD-CRA	CRA-1905 CRA-1906	CRA-70 CRA-71	CRA-2310 CRA-1923	CRA-3010 CRA-32 CRA-30
<b>Outside Dimensions</b>	Width: 17½" W Depth: 18" D Height: 22½" H	23" W 18" D 35" H	43" W 18" D 22¼" H	23" W 18" D 44" H	35" W 22" D 35" H	23" W 18" D 65" H	43" W 18" D 44" H
<b>Inside Dimensions</b>	Width: 14½" W Depth: 15" D Height: 19½" H	20" W 15" D 32" H	40" W 15" D 19¼" H	20" W 15" D 41" H	32" W 19" D 32" H	20" W 15" D 62" H	40" W 15" D 41" H
<b>No. of Shelves</b> Extra Shelf Model No.	1 CRA-1902	1 CRA-1909	Optional CRA-1914	1 CRA-1909	1 CRA-72	3 CRA-1909	1 CRA-1914
<b>Shelf Depth</b>	14¾"	14¾"	14¾"	14¾"	18¾"	14¾"	14¾"
<b>Maximum Weight</b>	74 lbs.	128 lbs.	154 lbs.	154 lbs.	195 lbs.	212 lbs.	234 lbs.
<b>Compliance</b>	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30
<b>Approvals</b>	-	-	-	-	-	-	

### All Cabinets Include Standard Features & Benefits Shown On Page 5

All steel cabinets meet NFPA Code 30 and OSHA specifications. Self-closing models meet Uniform Fire Code and NFPA Code One requirements.

- Special corrosion resistant powder coat finish on all internal and external surfaces, including shelves
- Includes poly shelf and bottom trays to help contain small spills and provide extra corrosion protection
- Steel cabinets are not recommended for the storage of aggressive acids such as nitric, sulfuric and hydrochloric
- Also available in 100% polyethylene construction for storage of aggressive acids



# SAFETY CABINETS

## DRUM SAFETY CABINETS

## HAZ-MAT SAFETY CABINETS



Capacity (Gal.)	55gal.	55gal.	110gal.	55gal.	110gal.	60gal.	
Common Name	One Drum Vertical	One Drum Horizontal	Two Drum Vertical	HAZ One Drum Vertical	HAZ Two Drum Vertical	HAZ Two Drum (30 gal. Drums)	
Model Numbers							
Door Styles	Self Close:	<b>2610</b>	<b>2810</b>	<b>5510</b>	<b>HAZ2610</b>	<b>HAZ5510</b>	<b>HAZ9010</b>
	Manual Close:	<b>1926</b>	<b>1928</b>	<b>1955</b>	<b>HAZ1926</b>	<b>HAZ1955</b>	<b>HAZ1992</b>
Outside Dimensions	Width:	31 <sup>1</sup> / <sub>4</sub> " W	31 <sup>1</sup> / <sub>4</sub> " W	58" W	31 <sup>1</sup> / <sub>4</sub> " W	58" W	43" W
	Depth:	31 <sup>1</sup> / <sub>4</sub> " D	48 <sup>1</sup> / <sub>4</sub> " D	31 <sup>1</sup> / <sub>2</sub> " D	31 <sup>1</sup> / <sub>4</sub> " D	31 <sup>1</sup> / <sub>2</sub> " D	34" D
	Height:	65" H	50" H	65" H	65" H	65" H	65" H
Inside Dimensions	Width:	28 <sup>1</sup> / <sub>4</sub> " W	28 <sup>1</sup> / <sub>4</sub> " W	55" W	28 <sup>1</sup> / <sub>4</sub> " W	55" W	40" W
	Depth:	28 <sup>1</sup> / <sub>4</sub> " D	45 <sup>1</sup> / <sub>4</sub> " D	28 <sup>1</sup> / <sub>2</sub> " D	28 <sup>1</sup> / <sub>4</sub> " D	28 <sup>1</sup> / <sub>2</sub> " D	31" D
	Height:	62" H	47" H	62" H	62" H	62" H	62" H
No. of Shelves	1	-	1	1	1	1	
Extra Shelf Model No.	1921		1922	1921	1922	1915(2)	
Shelf Depth	14 <sup>3</sup> / <sub>4</sub> "	-	14 <sup>3</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>4</sub> "	
Maximum Weight	332 lbs.	349 lbs.	515 lbs.	366 lbs.	583 lbs.	525 lbs.	
Compliance	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	
Approvals		-					

### All Cabinets Include Standard Features & Benefits Shown On Page 5

All steel cabinets meet NFPA Code 30 and OSHA specifications. Self-closing models meet Uniform Fire Code and NFPA Code One requirements.


- Drum Safety Cabinets include drum support-guides in the bottom and 1 shelf (vertical cabinets only)
- Haz-Mat Cabinets include roller conveyors in the bottom, 1 shelf and Hazardous Waste labels
- Regulations require not more than 60 gal of Class I and Class II liquids and not more than 120 gal of Class III liquids in any one safety cabinet



# SAFETY CABINETS

## OFFICE SUPPLY CABINETS



<b>Capacity (Gal.)</b>	<b>21.5</b> cu. ft.
<b>Common Name</b>	<b>Office Supply Cabinet</b>
<b>Model Numbers</b>	
<b>Door Styles</b>	Self Close: - Manual Close: <b>1947-4BE &amp; 1947-4GR</b>
<b>Outside Dimensions</b>	Width: 43" W Depth: 18" D Height: 65" H
<b>Inside Dimensions</b>	Width: 40" W Depth: 15" D Height: 62" H
<b>No. of Shelves</b>	4
<b>Extra Shelf Model No.</b>	1915BEIGE & 1915GRAY
<b>Shelf Depth</b>	14 <sup>3</sup> / <sub>4</sub> "
<b>Maximum Weight</b>	371 lbs.
<b>Compliance</b>	OSHA/NFPA** Code 30
<b>Approvals</b>	

\*\* Office Supply Cabinets require flammable labels to comply with this standard.

- Office Supply Cabinets provide secure, fire-resistant storage of software, financial records, supplies, toner, adhesives, etc.
- Office Supply Cabinets have 4-painted shelves.
- These cabinets are not Fire-Proof

## Cabinet Accessories



1918 Horizontal Drum Cradle



3045 Kit Poly Trays - 40" x 16" x 2.5"



1915 Metal Shelves



1950/1951 Bonding Wires (3')  
1953 Brass Horizontal Drum Vent  
1974B Brass Faucet



1957 Galvanized Drum Cabinet Ramp  
23.5" x 26.25"



1910G Self Closing Adaptor Kit



1794 Poly Drum Cabinet Ramp



1916G Shelf Dividers



1920 Roller Conveyors  
2 Shown (Sold Individually)






# SAFETY CABINET COMBOS

COMPLIANCE SOLUTION  
**COMBOS** for the  
 HANDLING & STORAGE  
 of FLAMMABLE LIQUIDS

These Cantastic combos bring you Eagle's best selling Safety Cabinets filled with Eagle 5 Gallon, Type I Safety Cans with funnels! Now one easy purchase can meet your compliance needs.



<b>Capacity (Gal.)</b>	<b>30</b> gal.	<b>45</b> gal.	<b>60</b> gal.
<b>Common Name</b>	<b>30 Gallon Combo Cabinet</b>	<b>45 Gallon Combo Cabinet</b>	<b>60 Gallon Combo Cabinet</b>
<b>Model Numbers</b> Manual Close:	<b>1932SC6</b> (Includes 6 UI-50-FS Cans)	<b>1947SC9</b> (Includes 9 UI-50-FS Cans)	<b>1962SC12</b> (Includes 12 UI-50-FS Cans)
<b>Outside Dimensions</b> Width: Depth: Height:	43" W 18" D 44" H	43" W 18" D 65" H	31 1/4" W 31 1/4" D 65" H
<b>Inside Dimensions</b> Width: Depth: Height:	40" W 15" D 41" H	40" W 15" D 62" H	28 1/4" W 28 1/4" D 62" H
<b>No. of Shelves</b> Extra Shelf Model No.	1 1915	2 1915	2 1911
<b>Shelf Depth</b>	14 3/4"	14 3/4"	28"
<b>Maximum Weight</b>	273 lbs.	375 lbs.	416 lbs.
<b>Compliance</b>	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30
<b>Approvals</b>			



And I'm proud of it. My name is Gary Byers and I'm on the production line that makes Eagle Flammable Safety Storage Cabinets, and we make them right here in the USA! When you buy a cabinet from Eagle you are giving your company the best defense in safety and fire prevention. I want to make a cabinet for you!



**EAGLE MANUFACTURING COMPANY**  
 SINCE 1894

2400 Charles St. | Weisburg, WV 26070  
 304-737-3171 | FAX 304-737-1752

All steel cabinets meet NFPA Code 30 and OSHA specifications. Self-closing models meet Uniform Fire Code and NFPA Code One requirements.



## EAGLE'S CLAWS Regulatory Compliance Guide

CLAWS is a compliance evaluation system utilized to promote employee and public safety, property protection and environmental conservation by specifying approved products that meet specific federal regulations concerning Containment, Liquid Handling, Waste Management and Safety Storage of Hazardous Materials. Go to our website to request a free CLAWS guide - [www.eagle-mfg.com](http://www.eagle-mfg.com)

# SPILL CONTAINMENT

## BUDGET BASINS



<b>Model Number</b>	<b>1636</b>	<b>1631</b>	<b>1638</b>
<b>Common Name</b>	<b>1 Drum Budget Basin</b>	<b>2 Drum Budget Basin</b>	<b>4 Drum Budget Basin</b>
<b>Dimensions</b> W D H	26¼" 26¼" 6½"	26¼" 51½" 6½"	51½" 51½" 7"
<b>Sump Capacity</b> <b>Drain Plug</b>	<b>17.5 Gal.</b> <b>Optional</b>	<b>34 Gal.</b> <b>Optional</b>	<b>66 Gal.</b> <b>Yes</b>
<b>Weight</b>	<b>10 lbs.</b>	<b>20 lbs.</b>	<b>25 lbs.</b>
<b>Load Capacity</b>	<b>5,000 lbs.</b>	<b>5,000 lbs.</b>	<b>5,000 lbs.</b>
<b>Fork Pockets</b>	<b>No</b>	<b>No</b>	<b>No</b>
<b>Compliance</b>	-	-	-
<b>Use w/1689 Ramp</b>	<b>No</b>	<b>No</b>	<b>No</b>

Add low cost spill protection to your workplace

### All Eagle Basins, Pallets and Platforms feature:

High Performance Engineered Plastic construction for excellent chemical resistance and impact durability for long life.



100% Recyclable



# SPILL CONTAINMENT

## SPILL CONTAINMENT PALLET



<b>Model Number</b>	<b>1620</b>	<b>1645</b>	<b>1640</b>	<b>1646</b>
<b>Common Name</b>	<b>2 Drum Pallet</b>	<b>4 Drum Pallet</b>	<b>4 Drum Pallet</b>	<b>4 Drum Nestable Pallet</b>
<b>Dimensions</b> W D H	51" 26¼" 13¾"	51½" 51½" 8"	52½" 51" 13¾"	58½" 58½" 7¾"
<b>Sump Capacity</b> <b>Drain Plug</b>	<b>66 Gal.</b> <b>Yes</b>	<b>66 Gal.</b> <b>Yes</b>	<b>132 Gal.</b> <b>Yes</b>	<b>66 Gal.</b> <b>Yes</b>
<b>Weight</b>	<b>52 lbs.</b>	<b>67 lbs.</b>	<b>104 lbs.</b>	<b>72 lbs.</b>
<b>Load Capacity</b>	<b>4,000 lbs.</b>	<b>8,000 lbs.</b>	<b>8,000 lbs.</b>	<b>6,000 lbs.</b>
<b>Fork Pockets</b>	<b>Yes</b>	<b>Yes</b>	<b>Yes</b>	<b>Yes</b>
<b>Compliance</b>	<b>EPA 40 CFR 264.175</b> <b>SPCC</b>	<b>EPA 40 CFR 264.175</b> <b>SPCC</b>	<b>EPA 40 CFR 264.175</b> <b>SPCC</b>	<b>EPA 40 CFR 264.175</b> <b>SPCC</b>
<b>Use w/1689 Ramp</b>	<b>No</b>	<b>Yes</b>	<b>No</b>	<b>Yes</b>

### All Eagle Pallets and Platforms feature:

High Performance Engineered Plastic construction for excellent chemical resistance and impact durability for long life. Removable grating for easy cleaning.



**100% Recyclable**

HDPE



# SPILL CONTAINMENT

## IBC CONTAINMENT UNITS



Model Number	<b>1680</b>	<b>1683</b>	<b>1684</b>
Common Name	<b>IBC Containment Unit with Steel Platform</b>	<b>IBC Containment Unit with Poly Platform</b> (Tank not included)	<b>Double All Poly IBC Containment Unit</b> (Tank not included)
Dimensions	W D H 67" 67" 26"	67" 67" 26"	118" 77½" 20"
Sump Capacity Drain Plug	<b>400 Gal.</b> <b>Optional</b>	<b>400 Gal.</b> <b>Optional</b>	<b>400 Gal.</b> <b>Optional</b>
Weight	<b>270 lbs.</b>	<b>245 lbs.</b>	<b>450 lbs.</b>
Load Capacity	<b>10,000 lbs.</b>	<b>10,000 lbs.</b>	<b>20,000 lbs.</b> (10,000 lbs. per platform)
Fork Pockets	<b>No</b>	<b>No</b>	<b>No</b>
Compliance	<b>EPA 40 CFR 264.175</b> <b>SPCC</b>	<b>EPA 40 CFR 264.175</b> <b>SPCC</b>	<b>EPA 40 CFR 264.175</b> <b>SPCC</b>



IBC Spill Units come with 100% polyethylene containment tub and your choice of metal or poly platforms.

1684 includes 2 front bucket wells for easy dispensing.



EPA 40 CFR 264.175: Container storage areas must have a containment system that has sufficient capacity to contain 10% of the volume of containers or the volume of the largest container, whichever is greater.



This marker indicates compliance with EPA Spill Prevention, Control and Countermeasures regulations.



100% Recyclable

# SPILL CONTAINMENT



## Horizontal Drum Stacking System Single Drum Containment, Utility Tray

Eagle's Horizontal Drum Stacking System is ideal for storage and dispensing of chemicals and helps keep your work area free and clean of environmental contamination. Used in combination with Eagle's spill containment platforms, this stacking system meets EPA Secondary Containment Storage requirements (40 CFR 264.175). All components are 100% polyethylene for durable chemical resistance. Units are designed to lock into spill pallet grating for stable drum storage. Shelf attaches easily and allows for filling more than one container at a time. Stackers let you double up on storage in the same floor space and the Double Stackers are

forkliftable.

The 1612 is a **Single Drum Containment Unit** that is ideal for use as a spill containment unit, a mobile pumping station or waste collection station. With the addition of the 1698 overpack dolly you can easily move the drum for dispensing or collection.



**Compliance:**  
EPA 40 CFR 264.175

### Containment Utility Tray

This HDPE tray is an affordable way to contain small spills up to 5 gallons.

Ideal for counter top use for the working storage of lab chemicals, as a drip pan under dispensers or as a floor tray under machinery. These trays are nestable for easy storage and feature a ribbed bottom.



1677 (Yellow) Containment Utility Tray  
18" x 36" x 2"

**IMPROVED!**

1677BLACK  
Containment Utility Tray  
18" x 36" x 2"



Model	Item	Dimensions	Weight	Load Capacity
1605	Cradle*	29" x 26½" x 22½"	30 lbs.	2,000 lbs.
1606	Single Stacker*	27" x 26½" x 29"	30 lbs.	1,000 lbs.
1607	Double Stacker*	48" x 26½" x 13"	30 lbs.	2,000 lbs.
1608	Shelf	19" x 23" x 19"	15 lbs.	100 lbs.
1612	Single Drum Unit	31" x 33"	30 lbs.	-
1698	Overpack Dolly	27½" x 7"	30 lbs.	-
1958	Horizontal Drum Lifter	-	5 lbs.	1,000 lbs.
1677	Containment Utility Tray (Yellow)	18" x 36" x 2"	9 lbs.	-
1677BLACK	Containment Utility Tray (Black)	18" x 36" x 2"	9 lbs.	-

\* Use with pallets for compliance

## Grating Available for Other Uses



Model No.	Dimensions	Grating Opening
1642IB Grating	51½" x 25¼"	2½" x 3⅜" max.
1642B Grating	51¼" x 25¼"	1¾" x 1¼" max.
1642IS Grating	25¼" x 25¼"	1¼" x 1¼" max.



# POLY DRUMS

## All Drums Feature:

- Blow-molded HDPE construction
- Chemical and weather resistant
- HDPE incinerates completely
- United Nations (UN) Certified to HM-181
- Operating temperature range (-30°F to 130°F)
- Drop tested – max weight @ 0°F (48 hrs) – 6' drop
- Approved for use with Packing Groups I, II, and III
- UV Protection Package
- UL 94HB Flammability Rating
- Nestable for ideal storage (except Model 1650)
- FDA 21 CFR 177.1520 Food Grade Quality
- Stack tested- 3 high at maximum weight capacity (24 hours)



Model #	1610	1610MB	1650	1652	1654
Style	Lab pack	Lab pack	Lab pack	Lab pack	Salvage drum
Closure Type	Plastic lever-lock	Metal lever-lock	Screw-on lid	Plastic lever-lock	Metal lever-lock
Inside Dimensions <small>Top: Bottom: Height:</small>	13½" 12¾" 25"	13½" 12¾" 25"	19¾" 16¾" 20"	19" 16⅞" 19"	19" 16⅝" 19"
Outside Dimensions <small>Top: Bottom: Height:</small>	15" 12¾" 26½"	15" 12¾" 26½"	20¾" 16¾" 20¾"	20⅞" 16⅞" 20⅞"	20⅞" 16⅞" 20⅞"
Maximum Capacity	143 lbs. 65 kg.	220 lbs. 100 kg.	125 lbs. 57 kg.	88 lbs. 40 kg.	165 lbs. 75 kg.
Total Capacity	14 gal. 52.2 l.	14 gal. 52.2 l.	20 gal. 76 l.	20 gal. 76 l.	20 gal. 76 l.
Maximum Container Size	5 gal.	5 gal.	5 gal.	5 gal.	5 gal.
Weight	9 lbs. 3.6 kg.	10 lbs. 4.1 kg.	13 lbs. 5.85 kg.	15 lbs. 5.85 kg.	16 lbs. 6.75 kg.
Pallet Quantity	54	54	24	40	40
Truckload Quantity	1,188	1,188	528	1,000	1,000
UN/DOT Rating	1H2/X65/S	1H2/X65/S 1H2/Y100/S	1H2/X57/S	1H2/X40/S	1H2/X75/S

## Lid Styles:

- Lids feature closed cell foam or silicone gaskets
- Lid closure instructions included in each drum
- Plastic ring models include a poly bag
- Salvage Drums pass 3 psi pressure test



SCREWTOP

PLASTIC LEVER-LOCK

METAL LEVER-LOCK

METAL BAND W/BOLT

# POLY DRUMS

## All Drums Feature:

- Blow-molded HDPE construction
- Chemical and weather resistant
- HDPE incinerates completely
- United Nations (UN) Certified to HM-181
- Operating temperature range (-30°F to 130°F)
- Drop tested – max weight @ 0°F (48 hrs) – 6' drop
- Approved for use with Packing Groups I, II, and III
- UV Protection Package
- UL 94HB Flammability Rating
- Nestable for ideal storage (except Model 1656)
- FDA 21 CFR 177.1520 Food Grade Quality
- Stack tested- 3 high at maximum weight capacity (24 hours)



Model #	1655	1655M	1655MB	1656	1656M
Style	Lab Pack	Lab Pack	Lab Pack	Lab Pack	Lab Pack
Closure Type	Plastic Lever Lock	Metal Lever Lock	Metal Lever Lock	Plastic Lever Lock	Metal Lever Lock
Inside Dimensions	Top: 22 <sup>7</sup> / <sub>8</sub> "	22 <sup>7</sup> / <sub>8</sub> "	22 <sup>7</sup> / <sub>8</sub> "	20 <sup>1</sup> / <sub>16</sub> "	20 <sup>1</sup> / <sub>16</sub> "
	Bottom: 19"	19"	19"	22 <sup>7</sup> / <sub>8</sub> "	22 <sup>7</sup> / <sub>8</sub> "
Outside Dimensions	Height: 38 <sup>9</sup> / <sub>16</sub> "	38 <sup>9</sup> / <sub>16</sub> "	38 <sup>9</sup> / <sub>16</sub> "	35 <sup>13</sup> / <sub>16</sub> "	35 <sup>13</sup> / <sub>16</sub> "
	Top: 23 <sup>3</sup> / <sub>4</sub> "	23 <sup>3</sup> / <sub>4</sub> "	23 <sup>3</sup> / <sub>4</sub> "	21"	21"
Maximum Capacity	Bottom: 19 <sup>3</sup> / <sub>8</sub> "	19 <sup>3</sup> / <sub>8</sub> "	19 <sup>3</sup> / <sub>8</sub> "	22 <sup>1</sup> / <sub>2</sub> "	22 <sup>1</sup> / <sub>2</sub> "
	Height: 39 <sup>1</sup> / <sub>8</sub> "	39 <sup>1</sup> / <sub>8</sub> "	39 <sup>1</sup> / <sub>8</sub> "	36 <sup>3</sup> / <sub>8</sub> "	36 <sup>3</sup> / <sub>8</sub> "
Total Capacity	552 lbs. 250 kg.	552 lbs. 250 kg.	552 lbs. 250 kg.	552 lbs. 250 kg.	552 lbs. 250 kg.
Maximum Container Size	57 gal. 213.89 l.	57 gal. 213.89 l.	57 gal. 213.89 l.	57.5 gal. 217.66 l.	57.5 gal. 217.66 l.
Weight	30 gal.	30 gal.	30 gal.	30 gal.	30 gal.
Pallet Quantity	23.5 lbs. 10.7 kg.	23.5 lbs. 10.7 kg.	23.5 lbs. 10.7 kg.	23.5 lbs. 10.7 kg.	23.5 lbs. 10.7 kg.
Truckload Quantity	40	40	40	8	8
UN/DOT Rating	1H2/X200/S 1H2/Y250/S	1H2/X200/S 1H2/Y250/S	1H2/X200/S 1H2/Y250/S	1H2/X200/S (pending) 1H2/Y250/S (pending)	1H2/X200/S (pending) 1H2/Y250/S (pending)

## Lid Styles:

- Lids feature closed cell foam or silicone gaskets
- Lid closure instructions included in each drum
- Plastic ring models include a poly bag
- Salvage Drums pass 3 psi pressure test




SCREWTOP

PLASTIC LEVER-LOCK

METAL LEVER-LOCK

METAL BAND W/BOLT

# GUARDS & PROTECTORS



## Bollard Posts and Machine Guards

**Bollard Posts** add protection to your facility and prevent damage. Posts feature a durable baked on powder coat in safety yellow to provide high visibility. Each post is made of 1/4" thick (schedule 40) steel mounted on 3/8" steel plates, pre-drilled (3/4") for easy installation. The black HDPE post caps are included and can be



removed to fill posts with concrete for extra protection.

### Machine Guards

Our machine guards provide superior protection for facilities and equipment. Create barriers between traffic areas and your valuable machinery.

- Anchor hardware not included

### Bollard Posts

Model	Description	Dimensions	Plate Size	Weight
1742	4" Round Bollard Post	24" h x 4.5"	8" x 8" x 3/8"	35 lbs.
1743	4" Round Bollard Post	36" h x 4.5"	8" x 8" x 3/8"	45 lbs.
1744	4" Round Bollard Post	42" h x 4.5"	8" x 8" x 3/8"	50 lbs.
1749	4" Round Post Cap	5" Dia.	NA	2 lbs.
1755	5" Round Bollard Post	24" h x 5.6"	10" x 10" x 3/8"	45 lbs.
1756	5" Round Bollard Post	36" h x 5.6"	10" x 10" x 3/8"	60 lbs.
1757	5" Round Bollard Post	42" h x 5.6"	10" x 10" x 3/8"	67 lbs.
1758	5" Round Post Cap	5.85" Dia.	NA	2 lbs.
1752	5" Square Bollard Post	24" h x 5"	10" x 10" x 3/8"	35 lbs.
1753	5" Square Bollard Post	36" h x 5"	10" x 10" x 3/8"	47 lbs.
1754	5" Square Bollard Post	42" h x 5"	10" x 10" x 3/8"	53 lbs.
1759	5" Square Post Cap	5.25" Sq.	NA	2 lbs.
1763	6" Round Bollard Post	36" h x 6.625"	10" x 10" x 3/8"	65 lbs.
1764	6" Round Bollard Post	42" h x 6.625"	10" x 10" x 3/8"	72 lbs.
1769	6" Round Post Cap	7" Dia.	NA	2 lbs.

### Machine Guards

Model	Item	Dimensions	Plate Size	Weight
1765	4" Low Profile Rack Guard	9" h x 36" w	8" x 8" x 3/8"	52 lbs.
1745	4" Low Profile Rack Guard	9" h x 48" w	8" x 8" x 3/8"	62 lbs.
1772	4" Rack Guard	16" h x 36" w	8" x 8" x 3/8"	72 lbs.
1773	4" Rack Guard	16" h x 48" w	8" x 8" x 3/8"	82 lbs.
1746	4" Machine Guard (Low)	24" h x 36" w	8" x 8" x 3/8"	82 lbs.
1770	4" Machine Guard (Low)	24" h x 48" w	8" x 8" x 3/8"	92 lbs.
1774	4" Machine Guard	36" h x 36" w	8" x 8" x 3/8"	100 lbs.
1775	4" Machine Guard	36" h x 48" w	8" x 8" x 3/8"	110 lbs.
1771	4" Machine Guard (High)	42" h x 36" w	8" x 8" x 3/8"	110 lbs.
1747	4" Machine Guard (High)	42" h x 48" w	8" x 8" x 3/8"	112 lbs.



1726 6" Wall Protector  
6" x 42" x 2" (each) (Sold as set of 2)  
(Anchors not included)



## Wall Protectors and Corner Protectors


### Wall Protectors

Our wall protectors help prevent damage to walls in areas with forklift, hand truck or drum traffic. These guards are made of high visibility yellow high density polyethylene, never need painting and resist cracking and chipping. Can be mounted end to end, and features unique energy absorbing construction. (Set of 2) (Anchors not included)

### Corner Protectors

HDPE Corner Protectors deflect the impact, helping to protect plant areas prone to damage by fork truck, hand truck or personnel traffic. Provide easy installation with bolts or optional straps (not provided). Two sizes to meet most needs sold in sets of two, inside measurement of 4" x 8" and outside measurement of 6" x 10"

1725 42" Corner Protector  
42" x 6" x 10" (each)  
(Sold as set of 2)  
IM 4" x 8" - OM 6" x 10"



Model	Item	Dimensions	Weight per set
1726	6" Wall Protector (set of 2)	6" w x 42" L x 2" d	8 lbs.
1728	10" Wall Protector (set of 2)	10" w x 42" L x 2" d	14 lbs.

Model	Item	Dimensions	Weight per set
1720	21" Corner Protector (set of 2)	21" h x 6" x 10" w	10 lbs.
1725	42" Corner Protector (set of 2)	42" h x 6" x 10" w	20 lbs.



HDPE  
100% Recyclable



# GUARDS & PROTECTORS



## Eagle offers the widest selection of HDPE Bollard Post Sleeves available!

The original sleeves provide extra impact protection and are available to fit 4", 6" and 8" NPT pipe. Post sleeves are 56" long in all sizes and colors and are available in 72" length in yellow

to fit 6" and 8" posts. Choose from lime, brown, green, red, blue, orange, yellow, white and black. Post sleeves may be easily trimmed for an exact fit.

**1738** 8" x 57"  
**1738-72** 8" x 72"  
**1730** 6" x 56"  
**1730-72** 6" x 72"  
**1732** 4" x 56"



**1730BR** - 6" Bollard Post Sleeve  
 6.875 I.D." x 56"



**1730BL** 6" (Handicap Blue) Bollard Post Sleeve

**1730R**  
 6" Bollard  
 Post Sleeve  
 6.875 I.D." x 56"



**LIME**      **BROWN**      **GREEN**      **RED**      **BLUE**



**ORANGE**      **YELLOW**      **WHITE**      **BLACK**

### Poly Base

Poly bases available for 4" and 6" post sleeves to convert into poly bollard

4"

6"



**1732BASE**

**1730BASE**

Size	I.D.	O.D.	Height	Bumper Post Sleeves										Weight
				Red	White	Yellow	Green	Orange	Lime	Brown	Black	Blue		
4"	4.75"	5.75"	56"	1732R	1732W	1732	1732GN	1732OR	1732LM	1732BR	1732BLK	1732BL	5 lbs.	
6"	6.875"	7.875"	56"	1730R	1730W	1730	1730GN	1730OR	1730LM	1730BR	1730BLK	1730BL	8 lbs.	
8"	8.875"	10.00"	57"	1738R	1738W	1738	1738GN	1738OR	1738LM	1738BR	1738BLK	1738BL	9 lbs.	
6"	6.875"	7.875"	72"	-	-	1730-72	-	-	-	-	-	-	11 lbs.	
8"	8.875"	10.00"	72"	-	-	1738-72	-	-	-	-	-	-	15 lbs.	

# GUARDS & PROTECTORS

Load Tested to 10,000 lbs/Pneumatic Tire



**1790Y** Parking Stop - Yellow  
8"wx4"hx72"L



**1792** 6' Speed Bump - Cable Guard  
10"wx2"hx72"L

Inside channel dimensions:  
1.25"wx0.875"H

Load Tested to 20,000 lbs.  
per Pneumatic Tire



Includes 8 anchor spikes and  
1 tube of asphalt adhesive

**1793** 9' Speed Bump - Cable Guard Kit  
10"wx2"hx108"L - Two 4.5' Sections



## Protective Parking Stops & Speed Bump-Cable Protectors

Eagle Parking Stops, designed with safety and durability in mind, eliminate the need for seasonal painting. Flexible enough to fit parking lot contours - the rugged HDPE are weather and chemical resistant. Eagle offers four colors - the high-vis yellow, blue designates handicapped areas and the gray or black. Anchor kit included.

Eagle Speed Bump/Cable Protectors add safety to your facility. The high-vis yellow bumps are engineered at the perfect angle. They also act as a dual channel cable protector, feature a non-skid surface and are weather and chemical resistant. HDPE construction means you eliminate the need to continually paint bumps. Anchor kit included.



**1790BLK** Parking Stop - Black  
8"wx4"hx72"L  
All Parking Stops include  
3 anchor spikes

Protective Parking Stops			
Model	Description	Dimensions	Weight
1790Y	Parking Stop-Yellow	8"wx4"hx72"L	15 lbs.
1790B	Parking Stop-Blue	8"wx4"hx72"L	15 lbs.
1790G	Parking Stop-Gray	8"wx4"hx72"L	15 lbs.
1790BLK	Parking Stop-Black	8"wx4"hx72"L	15 lbs.

Speed Bump-Cable Protector				
Model	Description	Dimensions	Weight	Load
1792	6' Speed Bump-Cable Guard	10"wx72"Lx2"H	20 lbs.	20,000 lbs.
1793	9' Speed Bump-Cable Guard	10"wx108"Lx2"H	25 lbs.	20,000 lbs.

## Poly Guide-Post Delineators™



## Poly Guide-Post Delineators™ & Poly Bollard Posts

**Poly Guide-Post Delineators™**  
Lightweight, portable, yieldable HDPE posts used to warn, guide and delineate. Feature 3" wide reflective bands for increased visibility and are MUTCD compliant. Posts are mounted on a 10" sq poly plate with anchor slots for permanent use or used with steel base for portable stability.

**Poly Bollard Posts**  
Create a low cost, maintenance free caution zone. These 42" high poly bollards are available in a 5" or 7" model with poly base that can be anchored for maximum stability or use with optional weighted steel base.

Poly Guide-Post Delineators			
Model	Description	Dimensions	Weight
1734Y	Poly Guide-Post Delineator-Yellow	5.75"wx42"H	6 lbs.
1734LM	Poly Guide-Post Delineator-Lime	5.75"wx42"H	6 lbs.
1734OR	Poly Guide-Post Delineator-Orange	5.75"wx42"H	6 lbs.

Poly Bollards			
Model	Description	Dimensions	Weight
1731	5" Poly Bollard	5"wx42"H	5 lbs.
1733	7" Poly Bollard	7"wx42"H	8 lbs.
1731BASE	Steel Weighted Base for 1731, 1733 & 1734	10"wx10"Lx3.75"H	12 lbs.



## Poly Bollard

# GUARDS & PROTECTORS



**1797** Portable Poly Dockplate  
48"wx36"Lx5"H



**1795** 750 lb. load capacity



**1796** Fixed Poly Dockplate - 35"wx26"Lx5"H



## Lightweight Portable Poly Dockplate

These durable HDPE dock plates are designed for use with two and four wheeled dollies, hand trucks and carts. They feature a lightweight ergonomic design, a raised non slip

surface, beveled entry and exit edges, high visibility yellow and integrated guardrails. Now available in 35" or 48" width.


**Compliance:** Meets OSHA 1910.30(a)

### Portable Dockplate Also Features:

- Two integrated handles for easy handling
- Aluminum legs for durability and strength
- Light weight for easy use
- 4" height differential capability
- 750 lb. load capacity
- 100% Recyclable HDPE



**1795** Portable Poly Dockplate  
35"wx36"Lx5"H



**1797** Portable Poly Dockplate  
48"wx36"Lx5"H



Portable Poly Dockplate & Fixed Poly Dockplate				
Model	Description	Dimensions	Weight	Load
1795	Portable Poly Dockplate - 35"	35"wx36"Lx5"H	37 lbs.	750 lbs.
1797	Portable Poly Dockplate - 48"	48"wx36"Lx5"H	40 lbs.	750 lbs.
1796	Fixed Poly Dockplate	35"wx26"Lx5"H	20 lbs.	1,000 lbs.
1796KIT	Fixed Poly Dockplate Installation Kit		30 lbs.	-

## Fixed Poly Dockplate

### Fixed Dockplate Also Features:

- Lift-n-lower ergonomic design helps reduce injuries and comp claims
- Features molded-in handle, raised non-slip surface, and integrated side rails
- Coated steel installation kit installs easily on metal or concrete dock facings
- 6' slide bar for easy truck centering or out-of-the-way storage
- 4" height differential capability
- 1,000 lb. load capacity



**1796KIT** Fixed Poly Dockplate Installation Kit - Galvanized Steel Parts



**1796** Fixed Poly Dockplate with 1796KIT (sold separately)



HDPE  
100% Recyclable

# SAFETY CANS

# Can'tastic!

**BAKED ON  
POWDER COAT  
FINISH**

Patented Comfort Grip Trigger Release

Spring Closing Lid With Neoprene Gasket Vents at 5 psi Internal Pressure

Fixed Handle

Non-Sparking Flame Arrestor and Pour Spout

Baked on Powder Coat Finish

Available in 1, 2 & 5 Gallon Sizes

Double Interlock No-Weld Bottom Seam

Meet OSHA & NFPA Code 30 Requirements, FM, UL & ULC Approved

Accepted Under CARB

Lead-Free Technology featuring environmentally friendly hot dipped 24-gauge galvanized steel

Optional F-15 HDPE Funnel Fits Unleaded Fuel Tanks

The Only Deep Drawn Seamless Can Made

Deep Drawn Construction Means No Top or Side Seam

Trilingual Label

**100% Leak Tested**













UI-50-FS 12½" x 13½"




# SAFETY CANS











## TYPE I SAFETY CANS

	
<b>Model-W/Funnel</b>	<b>Capacity</b>
<b>Dimensions WxD</b>	<b>Weight</b>
<b>Construction</b>	

				
				
<b>Model Number</b>	<b>Model-W/Funnel</b>	<b>Capacity</b>	<b>Dimensions WxD</b>	<b>Weight</b>
<b>Model-W/Funnel</b>	<b>Capacity</b>	<b>Dimensions WxD</b>	<b>Weight</b>	<b>Construction</b>
<b>Capacity</b>	<b>Dimensions WxD</b>	<b>Weight</b>	<b>Construction</b>	
<b>Dimensions WxD</b>	<b>Weight</b>	<b>Construction</b>		
<b>Weight</b>				
<b>Construction</b>				

## TYPE I SAFETY CANS

	
<b>Model-W/Funnel</b>	<b>Capacity</b>
<b>Dimensions WxD</b>	<b>Weight</b>
<b>Construction</b>	

				
				
<b>Model Number</b>	<b>Model-W/Funnel</b>	<b>Capacity</b>	<b>Dimensions WxD</b>	<b>Weight</b>
<b>Model-W/Funnel</b>	<b>Capacity</b>	<b>Dimensions WxD</b>	<b>Weight</b>	<b>Construction</b>
<b>Capacity</b>	<b>Dimensions WxD</b>	<b>Weight</b>	<b>Construction</b>	
<b>Dimensions WxD</b>	<b>Weight</b>	<b>Construction</b>		
<b>Weight</b>				
<b>Construction</b>				

### TYPE I SAFETY CANS


















- Eagle galvanized type-I safety cans meet OSHA and NFPA Code 30 requirements and are UL and ULC listed and FM approved for safe handling and storage of gasoline and other flammable liquids
- Eagle cans feature environmentally friendly Lead Free Technology, constructed of 24-gauge hot dipped galvanized steel. Other manufacturers' safety cans use lead coated terne steel
- Available in Blue for the storage of Kerosine, Yellow for the storage of Diesel & Green for the storage of Combustible liquids, such as oils
- UL, ULC and FM approved

Compliance: OSHA 29 CFR 1910.106, 1926.152 and NFPA Code 30











# SAFETY CANS

## LAB CANS

	STAINLESS	METAL				POLY		
								
<b>Model Number</b>	<b>1301</b>	<b>1401</b>	<b>1512</b>	<b>1513</b>	<b>1510</b>	<b>1511</b>	<b>1508</b>	<b>1509</b>
								
<b>Capacity</b>	<b>1 gal.</b>	<b>1 gal.</b>	<b>1/2 gal.</b>	<b>1 gal.</b>	<b>1/2 gal.</b>	<b>1 gal.</b>	<b>1/2 gal.</b>	<b>1 gal.</b>
<b>Dimensions WxDxH</b>	6" W 8" D 13" H	6" W 8" D 13" H	6" W 8 1/2" D 9 1/2" H	6" W 8 1/2" D 13" H	6" W 8 1/2" D 9 1/2" H	6" W 8 1/2" D 13" H	6" W 8 1/2" D 9 1/2" H	6" W 8 1/2" D 13" H
<b>Weight</b>	3.75 lbs.	3.75 lbs.	2.5 lbs.	2.8 lbs.	2.5 lbs.	2.8 lbs.	2.5 lbs.	2.8 lbs.
<b>Construction</b>	Stainless	Coated Metal	Poly	Poly	Poly	Poly	Poly	Poly

## FAUCET CANS

## DOT CANS

					
<b>Model Number</b>	<b>1417</b>	<b>1327</b>	<b>1215</b>	<b>1215-SX5</b>	<b>1215Y</b>
					
<b>Capacity</b>	<b>5 gal.</b>	<b>5 gal.</b>	<b>5 gal.</b>	<b>5 gal.</b>	<b>5 gal.</b>
<b>Dimensions WxD</b>	12 1/2" W 13 1/2" D	11 1/4" W 15 7/8" D	12 1/2" W 15 3/4" D	12 1/2" W 15 3/4" D	12 1/2" W 15 3/4" D
<b>Weight</b>	12 lbs.	9 lbs.	13 lbs.	13 lbs.	13 lbs.
<b>Construction</b>	Galvanized	Stainless	Galvanized	Galvanized	Galvanized



### LABORATORY SAFETY CANS

- Laboratory Safety Cans reduce the danger of explosions resulting from the ignition of vapors of flammable liquids
- Cans are available in coated metal, stainless steel and high density polyethylene for safe storage and handling of most chemical compounds

Compliance: OSHA 29 CFR 1910.106, 1925.152 & NFPA Code 30














### DOT TRANSPORT TYPE II SAFETY CAN

- Reduces the danger of explosion while dispensing flammable liquids through a flexible metal spout.
- Can has double-walled flame arrestors in filler opening and pour spout.
- Heavy duty roll bars protect both spouts and a thumb screw mechanism assures that the filler opening stays closed while being transported
- Meets DOT requirements
















Compliance: OSHA 29 CFR 1910.106, 1925.152 & NFPA Code 30 - UN/DOT-1A1/Y1.2/100/08/USA/M4990/0.6mm

# SAFETY CANS

## PLUNGER CANS

	METAL			POLY		
						
<b>Model Number</b>	<b>P701</b>	<b>P702</b>	<b>P704</b>	<b>P711</b>	<b>P712</b>	<b>P714</b>
						
<b>Capacity</b>	<b>1qt.</b>	<b>2qt.</b>	<b>4qt.</b>	<b>1qt.</b>	<b>2qt.</b>	<b>4qt.</b>
<b>Dimensions WxD</b>	6¼" W 8" D	8" W 8½" D	8" W 10¾" D	5¼" W 9¾" D	6½" W 11" D	7¾" W 13" D
<b>Weight</b>	2.34 lbs.	3 lbs.	3.67 lbs.	2 lbs.	3 lbs.	4 lbs.
<b>Construction</b>	Galvanized	Galvanized	Galvanized	Poly	Poly	Poly

## BENCH AND DAUB CANS

	DAUB			BENCH			
							
			Shown with optional cleaning basket				
<b>Model Number</b>	<b>B-600-D</b>	<b>B-601</b>	<b>B-602</b>	<b>B-604</b>	<b>B-606</b>	<b>B-606-NL</b>	<b>B-608</b>
							
<b>Capacity</b>	<b>½ pt.</b>	<b>1qt.</b>	<b>2qt.</b>	<b>4qt.</b>	<b>6qt.</b>	<b>6qt.</b>	<b>8qt.</b>
<b>Dimensions WxD</b>	4¼" W 3½" D	6¼" W 3⅝" D	8" W 4¼" D	8" W 6½" D	7¾" W 9½" D	7¾" W 9½" D	11¼" W 7" D
<b>Weight</b>	1 lb.	2.17 lbs.	3 lbs.	3.5 lbs.	3.67 lbs.	3.67 lbs.	8.25 lbs.
<b>Construction</b>	Galvanized	Galvanized	Galvanized	Galvanized	Galvanized	Galvanized	Galvanized

### PLUNGER & BENCH SAFETY CANS

- EAGLE Safety Plunger Cans are ideal for cleaning with flammable or volatile fluids
- Feature brass flame arrestor dasher screens and pump assemblies and comply with OSHA standards
- When the dasher plate is pushed down, the safety can dispenses a small amount of liquid to easily moisten sponges or rags without messy or dangerous spills.
- Polyethylene and coated metal models available
- FM approved

### EAGLE SAFETY BENCH CANS

- EAGLE Safety Bench Cans are designed for safer cleaning of small parts or swabbing of larger ones
- Dasher screens act as a fire baffle
- FM approved and meet OSHA standards



# CIGARETTE DISPOSAL

## STANDARD CIGARETTE RECEPTACLE FEATURES

- All Metal
- All Poly
- Poly/Metal
- Multiple Sizes
- 27 Models to Choose from
- Multiple Colors
- Low Maintenance
- Easy to Access
- Extinguishes Butts Quickly
- Easy to Empty



## Decorative SAFESMOKER™

There's a new member in the SafeSmoker™ family of products, our new Decorative SafeSmokers. They are available in the Classic, Golf or Hitching Post and you have your choice of black, gray or beige. These distinctive cigarette receptacles are high density polyethylene with UV inhibitors

and feature vertical flutes, horizontal rings and beautiful finials that blend with the nicest buildings and facilities. The Decorative SafeSmoker™ includes a 10 pound rubber base, set screws for easy access and a galvanized steel receptacle that is easy to empty.



Container top removes easily to empty internal galvanized steel receptacle.



Model	Decorative SafeSmoker™ Cigarette Receptacle Description	Dimensions	Weight
1212BEIGE	SafeSmoker™ Hitching Post	12½" base dia. x 44½"h	18 lbs.
1212BLACK	SafeSmoker™ Hitching Post	12½" base dia. x 44½"h	18 lbs.
1212GRAY	SafeSmoker™ Hitching Post	12½" base dia. x 44½"h	18 lbs.
1213BEIGE	SafeSmoker™ Classic	12½" base dia. x 37"h	18 lbs.
1213BLACK	SafeSmoker™ Classic	12½" base dia. x 37"h	18 lbs.
1213GRAY	SafeSmoker™ Classic	12½" base dia. x 37"h	18 lbs.
1214BEIGE	SafeSmoker™ Golf Traditions	12½" base dia. x 37"h	18 lbs.
1214BLACK	SafeSmoker™ Golf Traditions	12½" base dia. x 37"h	18 lbs.
1214GRAY	SafeSmoker™ Golf Traditions	12½" base dia. x 37"h	18 lbs.

### SHIPPING SIZES:

**1212** 13"x12¾"x45½"

**1213** 13"x13"x37½"

**1214** 13"x13"x37½"

All cans ship UPS.







- Since 1894 -

Eagle Manufacturing Company, a family owned business established in 1894, is a prime manufacturer of Safety Cans, Safety Cabinets, Secondary Spill Containment Pallets, Poly Drums, Material Handling Protective Products and Cigarette Receptacles. Eagle designs and manufactures all of its own products. Eagle is certified to the ISO-9001 Quality System and is the most respected brand name for consistent quality and value. All of Eagle's products are "Made in the USA."

Eagle is the leading supplier of these products, offering a large selection of industrial safety and material handling products for contractors, manufacturers, utilities, military, professional,

government, printing, chemical, fabricators, transportation, textile mills, automotive, agricultural, medical, oil & gas, electrical and other industrial and commercial customers. Eagle products are "Compliance Solutions" that help industry meet strict State and Federal Regulations concerning the handling and storage of hazardous materials. Eagle provides easy-to-use sales tools such as its CLAWS Compliance Analysis Guide, Compliance Solutions Product Catalog and website at [www.eagle-mfg.com](http://www.eagle-mfg.com). For technical or sales information, call Eagle at **304-737-3171** or fax at **304-737-1752**.



**EAGLE  
MANUFACTURING  
COMPANY**

2400 Charles Street  
Wellsburg, West Virginia 26070  
304-737-3171 • FAX 304-737-1752  
EMAIL [sales@eagle-mfg.com](mailto:sales@eagle-mfg.com)  
[www.eagle-mfg.com](http://www.eagle-mfg.com)

